

CLAIMS

1. A structure for providing customized web pages, comprising:
 - a server computer including a sever program configured to receive a call from a client computer, the server computer including a memory configured to store a plurality of logic components available for selection by identified users and to store information regarding a plurality of identified users;
 - a selection procedure resident on the server computer configured to receive instructions from each identified user regarding a selection of the available logic components and to create a record associating the identified user and selected logic components; and
 - an assembly procedure resident on the server computer configured to associate the call with an identified user and to provide information to the server program to assemble a web page customized for each identified user in response to the call.
2. The structure of claim 1, wherein:
 - the server computer is configured to access a database containing information necessary for at least one of the selected logic components for at least one identified user.
3. The structure of claim 1, wherein:
 - the server computer is configured to access a plurality of databases containing information necessary for a plurality of the selected logic components for a plurality of identified users.
4. The structure of claim 1, wherein:
 - the selection procedure stores a profile for each identified user, where the profile includes the selected logic components.
5. A method of constructing customized web pages using a server, comprising:
 - receiving instructions from each identified user regarding a selection of the available logic components and creating a record associating the identified user and selected logic components;
 - receiving a call from a client computer, the server computer including a memory configured to store a plurality of logic components available for selection by identified users and to store information regarding a plurality of identified users; and

associating the call with an identified user and to provide information to the server program to assemble a web page customized for each identified user in response to the call.

6. The method of claim 5, wherein:

the associating step includes the step of accessing a database containing information necessary for at least one of the selected logic components for at least one identified user.

7. The method of claim 5, wherein:

the associating step includes the step of accessing a plurality of databases containing information necessary for a plurality of the selected logic components for a plurality of identified users.

8. The method of claim 5, wherein:

the step of receiving instructions from each identified user regarding a selection of the available logic components and creating a record associating the identified user and selected logic components includes the step of storing a profile for each identified user, where the profile includes the selected logic components.

9. An article of manufacture for constructing customized web pages using a server having a memory, comprising:

a sever program configured to receive a call from a client computer, the server program including the ability to store in memory a plurality of logic components available for selection by identified users and to store information regarding a plurality of identified users;

a selection procedure configured to receive instructions from each identified user regarding a selection of the available logic components and to create a record associating the identified user and selected logic components; and

an assembly procedure configured to associate the call with an identified user and to provide information to the server program to assemble a web page customized for each identified user in response to the call.

10. The article of claim 9, wherein:

the assembly procedure is configured to access a database containing information necessary for at least one of the selected logic components for at least one identified user.

11. The article of claim 9, wherein:

the assembly procedure is configured to access a plurality of databases containing information necessary for a plurality of the selected logic components for a plurality of identified users.

12. The article of claim 9, wherein:

the selection procedure is configured to store a profile for each identified user, where the profile includes the selected logic components.